

Message

From: Adair, Jillian [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=31271D1C6F7648DC8418C8FF305499B4-ADAIR, JILL]
Sent: 1/30/2019 5:17:09 PM
To: Masaya Maeda [mmaeda@anacostiaws.org]
Subject: RE: A letter to express our concern about the Anacostia trash TMDLs revision

Oh gosh, I'm so sorry for that. Nice to electronically meet you!

Jillian Adair

TMDL/303d/WQS/Data Management Coordinator
Office of Standards, Assessments, and TMDLs
Water Protection Division
U.S. Environmental Protection Agency, Region 3
Phone: (215) 814-5713
Email: Adair.Jillian@epa.gov

From: Masaya Maeda <mmaeda@anacostiaws.org>
Sent: Wednesday, January 30, 2019 12:07 PM
To: Adair, Jillian <adair.jillian@epa.gov>
Subject: Re: A letter to express our concern about the Anacostia trash TMDLs revision

Thank you!
By the way, I'm male though my name sounds feminine to Americans.
Not a big deal.

Masaya

On Wed, Jan 30, 2019 at 11:07 AM Adair, Jillian <adair.jillian@epa.gov> wrote:

Hello Ms. Maeda,

Thank you for your letter. We truly appreciate hearing from you and relying on your expertise, especially since AWS was instrumental in the 2010 TMDL. There is no need to send a hard-copy. I will save your letter to our records.

Thank you,

Jillian

Jillian Adair

TMDL/303d/WQS/Data Management Coordinator

Office of Standards, Assessments, and TMDLs

Water Protection Division

U.S. Environmental Protection Agency, Region 3

Phone: (215) 814-5713

Email: Adair.Jillian@epa.gov

From: Masaya Maeda <mmaeda@anacostiaws.org>

Sent: Tuesday, January 29, 2019 3:49 PM

To: Adair, Jillian <adair.jillian@epa.gov>

Cc: Jim Foster <jfoster@anacostiaws.org>; Ariel Trahan <atrahan@anacostiaws.org>; Matthew Gallagher <mgallagher@anacostiaws.org>

Subject: A letter to express our concern about the Anacostia trash TMDLs revision

Ms. Jillian Adair,

Anacostia Watershed Society has a concern regarding the revision of the Anacostia trash TMDLs.

Our letter to express the concern is attached. We appreciate if you could examine our concern and take it into consideration.

I am wondering if I should send a hard-copy to you by regular mail or not. It may be troublesome for you to receive the letter both by email and by regular mail since it will be duplicate.


Should I send a hard-copy to you?

Thank you.

Masaya

--

Masaya Maeda
Water Quality Specialist
Anacostia Watershed Society



The George Washington House

4302 Baltimore Avenue

Bladensburg, MD 20710-1031

Office: (301) 699-6204, ext. 110

Fax: (301) 699-3317

www.anacostiaws.org

See the most recent Water Quality Trend!!


See the Raw Water Quality Data with Standards!!

--

Masaya Maeda

Water Quality Specialist

Anacostia Watershed Society



The George Washington House

4302 Baltimore Avenue

Bladensburg, MD 20710-1031

Office: (301) 699-6204, ext. 110

Fax: (301) 699-3317

www.anacostiaws.org

See the most recent Water Quality Trend!!

See the Raw Water Quality Data with Standards!!